

(Click on Well Log ID to Access Image of Well Strip Log)

BATES

(Records are Sorted by Township, Range, and Section)

LOG ID: 007053

WELL TYPE Oil Well

DRILL DATE:

1940/07/25

1,227FT

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

DRILL DEPTH:

10FT

REMARKS: DRILLERS LOG TO 670' - SAMPLE LOG 670-1227'

SECTION

13

SECTION

14

SECTION

14

SECTION

14

RANGE

RANGE

RANGE

RANGE

29W

29W

29W

29W

WELL TYPE

LOG ID: 000493

Private Well

DRILL DATE: DRILL DEPTH: 1913/11/01

300FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

295FT

FT

FT

REMARKS: @ ROCKVILLE

TOWNSHIP

TOWNSHIP

38N

38N

TOWNSHIP

38N

TOWNSHIP

38N

S.W.L. (AFTER CASING):

LOG ID: 016670

WELL TYPE Private Well

DRILL DATE:

1957/09/02

DRILL DEPTH:

175FT

DEPTH TO BED:

5FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 37

LOG ID: 016831

WELL TYPE Private Well

DRILL DATE:

1957/11/15

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

185FT 5FT

13

REMARKS:

REMARKS:

85-185' (#17261)

ZONE 15

ELEVATION:

UTM X

407,070.01

747FT

UTM Y

4,213,661.36

County Base Map

ELEVATION: 764FT

UTM X

UTM Y 4,213,909.37

404,860.01

ZONE 15

ELEVATION:

769FT

UTM X UTM Y 404,760.01 4,214,316.37

ZONE 15

ELEVATION: 769FT

UTM X UTM Y 405,360.01 4,214,011.37

ZONE 15

formerly in name of B.C. Whitson - OLD WELL (#16831) DEEPENED



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017261

WELL TYPE Private Well

1957/11/15 DRILL DATE:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 38N

RANGE SECTION 29W

ELEVATION:

769FT

DRILL DEPTH:

185FT

14

UTM X 405,360.01

ZONE 15

ZONE 15

UTMY 4,214,011.37

DEPTH TO BED:

REMARKS:

formerly in name of B.C. Whitson - OLD WELL DEEPENED - SEE LOG

#16831

LOG ID: 018270

WELL TYPE Private Well

DRILL DATE:

1959/06/05

TOWNSHIP

RANGE

SECTION 14

ELEVATION:

776FT

DRILL DEPTH:

149FT

38N 29W

> **UTM X** 404,960.01

UTMY 4,214,011.37

DEPTH TO BED:

15FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

50

FT

REMARKS: **ROCKVILLE**

LOG ID: 000354

WELL TYPE Unknown Well

DRILL DATE:

TOWNSHIP RANGE 38N

SECTION

ELEVATION:

742FT

DRILL DEPTH:

179FT

29W 24

UTM X 406,396.01 UTM Y

DEPTH TO BED:

4,212,255.37

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 000354

WELL TYPE Unknown Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

179FT

TOWNSHIP 38N

RANGE SECTION 29W 24

drillers log only - 1/2 mile SE of Rockville

ELEVATION:

742FT

UTM X UTM Y

406,396.01 4,212,255.37

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

drillers log only - 1/2 mile SE of Rockville

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000354

WELL TYPE Unknown Well

DRILL DATE: **TOWNSHIP**

38N

RANGE SECTION 29W 24

ELEVATION:

742FT

DRILL DEPTH: 179FT

UTM X 406,396.01

UTMY 4,212,255.37

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

drillers log only - 1/2 mile SE of Rockville

S.W.L. (AFTER CASING):

LOG ID: 000354

DEPTH TO BED:

WELL TYPE Unknown Well

179FT

DRILL DATE:

TOWNSHIP

RANGE

SECTION 24

ELEVATION:

742FT

DRILL DEPTH:

38N

29W

UTM X

UTMY

DEPTH TO BED:

406,396.01

4,212,255.37

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

drillers log only - 1/2 mile SE of Rockville

LOG ID: 000354

WELL TYPE Unknown Well

DRILL DATE:

TOWNSHIP 38N

RANGE

SECTION

ELEVATION:

742FT

DRILL DEPTH:

179FT

29W 24

UTM X 406,396.01

ZONE 15

UTM Y 4,212,255.37

DEPTH TO BED:

drillers log only - 1/2 mile SE of Rockville

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 000354

WELL TYPE

Unknown Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

179FT

TOWNSHIP 38N

RANGE 29W

SECTION

ELEVATION:

742FT

REMARKS:

24

UTM X UTM Y

406,396.01

4,212,255.37

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

drillers log only - 1/2 mile SE of Rockville

2/26/2007

186



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000354

WELL TYPE
Unknown Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 742FT

DRILL DEPTH: 38N 29W 24

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 406,396.01 4,212,255.37

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: drillers log only - 1/2 mile SE of Rockville

S.W.L. (AFTER CASING):

LOG ID: WELL TYPE
018596 Private Well

DRILL DATE: 1958/09/15 TOWNSHIP RANGE SECTION ELEVATION: 773FT

DRILL DEPTH: 250FT 38N 29W 4

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u>
401,292.99 4,216,562.37

S.W.L. (BEFORE CASING): FT PEMARKS POOR SAMPLES PO NOT USE

S.W.L. (AFTER CASING): 30

REMARKS: POOR SAMPLES - DO NOT USE

5.W.L. (AFTER CASING). 30

LOG ID: WELL TYPE

008233 Industrial High Capacity Well

<u>DRILL DATE:</u> 1943/03/29 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 787FT

<u>DRILL DEPTH:</u> 393FT 38N 30W 12

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 15FT 397,061.98 4,215,180.42

S.W.L. (BEFORE CASING): FT DEMARKS WILL SERVICE AND SOLVE OF BIGHT AND

REMARKS: Well #2 - 10 MI E OF RICH HILL ON ROCKVILLE RD, 1 MI S

S.W.L. (AFTER CASING): 60

LOG ID: WELL TYPE
012856 Private Well

<u>DRILL DATE:</u> 1954/04/19 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 794FT

DRILL DEPTH: 335FT SON 12

UTM X UTM Y

30W

12

<u>DEPTH TO BED:</u> 20FT 396,961.98 4,216,214.40

ZONE 15

38N

S.W.L. (BEFORE CASING): REMARKS: MOSTLY SKIPPED INTERVALS

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012905

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well

1954/08/17 DRILL DATE:

435FT

15FT

80

TOWNSHIP RANGE SECTION 38N

30W 12 **ELEVATION:**

787FT

UTM X 397,061.98

UTMY 4,215,180.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 16 GPM @ 200' **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 008281

WELL TYPE Private Well

DRILL DATE:

1943/06/07

TOWNSHIP

RANGE

SECTION 13

ELEVATION:

761FT

DRILL DEPTH: DEPTH TO BED: 400FT 30FT

38N 30W

UTM X

UTMY

397,383.98 4,214,200.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

11 MI E, 1 MI S OF RICH HILL ON ROCKVILLE RD

SECTION

S.W.L. (AFTER CASING):

LOG ID: 001926

WELL TYPE Unknown Well

DRILL DATE:

1915//

60

TOWNSHIP 38N

RANGE

ELEVATION:

742FT

DRILL DEPTH:

100FT

30W 21

DRILLER'S LOG ONLY

UTM X 391,916.96

UTM Y 4,213,449.48

DEPTH TO BED:

12FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 001927

WELL TYPE Unknown Well

DRILL DATE:

TOWNSHIP 38N

RANGE

SECTION

ELEVATION:

715FT

DRILL DEPTH:

96FT

30W 21

UTM X

UTM Y 4,212,944.49

DEPTH TO BED: 14FT 391.816.96

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

PAPINSVILLE - DRILLER'S LOG ONLY, PURPOSE UNKNOWN



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008238

WELL TYPE Private Well

1943/04/24 DRILL DATE:

TOWNSHIP RANGE 30W

SECTION 3

ELEVATION:

805FT

DRILL DEPTH:

38N 350FT

UTM X 393,785.97

UTMY 4,217,364.41

DEPTH TO BED: 40FT

FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

OLD DUG WELL TO 24'; 9 MI E OF RICH HILL ON ROCKVILLE RD, **REMARKS**:

0.25 MI N

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 027411

DRILL DATE:

60

TOWNSHIP 38N

SECTION RANGE 7

ELEVATION:

740FT

DRILL DEPTH:

1,566FT

30W

UTM X

UTMY

DEPTH TO BED:

980FT

4,216,743.46

388,531.97 ZONE 15

S.W.L. (BEFORE CASING):

Core #62W134 - Well #1 - CORE FROM 144-980' NOT DESCRIBED **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 002382

WELL TYPE

Oil Well

DRILL DATE:

1931/02/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

800FT

DRILL DEPTH:

1.680FT

38N 31W 14

UTM X

UTM Y

DEPTH TO BED:

105FT

384,891.99 ZONE 15

4,214,209.54

S.W.L. (BEFORE CASING):

REMARKS: Well #2 - PHILBRICK - DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

006971

Noncommunity Public Well

DRILL DATE:

1941/05/10

TOWNSHIP

RANGE SECTION **ELEVATION:**

763FT

DRILL DEPTH:

300FT

38N

31W

UTM X

DEPTH TO BED:

5FT

14

UTM Y 4,215,015.52

385.091.99 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

Well #1 CIRCLE T OR GG RANCH

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026299

WELL TYPE Oil Well

DRILL DATE: 1964/07/17

TOWNSHIP 38N

SECTION

ELEVATION:

765FT

DRILL DEPTH:

195FT

31W 15

UTMY

DEPTH TO BED:

UTM X 384,388.99

4,214,793.53

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

Well #1 - ASHLEY - CORE TEST #1

RANGE

LOG ID:

001929

WELL TYPE Private Well

DRILL DATE:

1915/04/28

TOWNSHIP

SECTION RANGE

ELEVATION:

778FT

DRILL DEPTH:

38N

31W 16

UTM X

UTMY

DEPTH TO BED:

381,576.01

4,214,455.57

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 001936

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1915/04/28

TOWNSHIP

SECTION RANGE

16

ELEVATION:

797FT

DRILL DEPTH:

75FT

38N 31W

UTM X

UTM Y

DEPTH TO BED:

19FT

381,976.01

ZONE 15

4,215,271.55

S.W.L. (BEFORE CASING):

REMARKS: DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

009065

Private Well

1946/01/18

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

797FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

390FT

155FT

31W 16

UTM X

UTM Y 381.676.01 4,214,965.56

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

70



(Click on Well Log ID to Access Image of Well Strip Log)

810FT

LOG ID: 001547

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u>

<u>DRILL DEPTH:</u> 912FT 38N 31W 17

UTM X UTM Y

<u>DEPTH TO BED:</u> 265FT 380,560.02 4,215,141.57

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRILOLER'S LOG ONLY, NO UNITS IDENTIFIED

S.W.L. (AFTER CASING):

LOG ID: WELL TYPE

001930 Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 810FT

DRILL DEPTH: 83FT 38N 31W 17

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 5FT 379,960.03 4,215,345.57

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: RICH HILL - drillers log only

S.W.L. (AFTER CASING):

LOG ID: WELL TYPE
012096 Private Well

<u>DRILL DATE:</u> 1951/05/08 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 814FT

<u>DRILL DEPTH:</u> 368FT 38N 31W 17

<u>DEPTH TO BED:</u> 35FT <u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 35FT 380,860.02 4,214,631.58

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1.25 MI S OF RICH HILL ON HWY 71

S.W.L. (AFTER CASING): 30

LOG ID: WELL TYPE
012522 Private Well

<u>DRILL DEPTH:</u> 555FT 38N 31W 17 UTM X UTM Y

<u>DEPTH TO BED:</u> 15FT 380,260.02 4,214,835.58

S.W.L. (BEFORE CASING): FT SEMBLE OF BIOLOGICAL AND OF SIGNATION OF SIGNATURE AND OF SIGNATURE O

REMARKS: 2.5 MI S OF RICH HILL, 1 MI W OF HWY 71; YIELD 10 GPM @ 150',

<u>S.W.L. (AFTER CASING):</u> 75 30 @ 175



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 001928

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

74FT

DRILL DEPTH:

S.W.L. (BEFORE CASING):

DEPTH TO BED: 10FT

REMARKS: RICH HILL - drillers log only

S.W.L. (AFTER CASING):

LOG ID: 008497

WELL TYPE Private Well

DRILL DATE:

1943/11/16

TOWNSHIP

TOWNSHIP

38N

RANGE

RANGE

31W

SECTION 18

SECTION

18

ELEVATION:

ELEVATION:

UTM X

378,975.03

ZONE 15

ZONE 15

853FT

850FT

UTMY

4,215,221.59

DRILL DEPTH:

590FT

38N 31W

> UTM X 379,475.03

UTMY 4,215,122.58

DEPTH TO BED:

115

FT

REMARKS: 1 MI S, 0.75 MI W OF RICH HILL

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

001717

Exploratory Hole (Mineral Prospect)

DRILL DATE:

218FT

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

797FT

DRILL DEPTH:

31W

UTM X

UTM Y

DEPTH TO BED:

5FT

19

378,887.03 4,213,606.62

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NEAR RICH HILL - S OF #6 SHAFT - drillers log only

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Oil Well

026297

1964/07/17

TOWNSHIP 38N

RANGE

SECTION

ELEVATION:

805FT

DRILL DATE: DRILL DEPTH:

300FT

31W 19

> UTM X 378,587.03

> > ZONE 15

UTM Y 4,213,900.62

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

Well #1 - JOE CRABB - CORE TEST #2



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 001932

WELL TYPE Unknown Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 732FT

38N 31W 2 **DRILL DEPTH:** 83FT

UTM X **UTMY DEPTH TO BED:**

386,061.98 4,218,603.45

ZONE 15

S.W.L. (BEFORE CASING): 3 COALS SHOWN **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004015 Industrial High Capacity Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 808FT

38N 31W 20 DRILL DEPTH: 308FT

UTM X UTMY DEPTH TO BED: 45FT 380,172.02 4,213,223.61

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: Smith Farm - 2 MI S OF RICH HILL; OLD WELL DEEPENED (?)

S.W.L. (AFTER CASING): 308-520'

LOG ID:

WELL TYPE

Unknown Well 005383

DRILL DATE: 1939/05/01 **TOWNSHIP RANGE SECTION ELEVATION:** 779FT

38N 31W 20 **DRILL DEPTH:** 236FT

UTM X UTM Y **DEPTH TO BED:** 120FT 380,172.02 4,213,633.60

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: 2.5 MI S OF RICH HILL

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

003041 Exploratory Hole (Mineral Prospect)

64FT

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 772FT

UTM X UTM Y

DEPTH TO BED: 381.589.01 4,213,763.58

31W

21

ZONE 15 S.W.L. (BEFORE CASING):

38N

NEAR RICH HILL - COAL MINE SHAFT SECTION - drillers log only **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027550

WELL TYPE

Exploratory Hole (Mineral Prospect)

1971/00/00 DRILL DATE:

TOWNSHIP 38N

SECTION 21

ELEVATION:

780FT

DRILL DEPTH:

310FT

31W

RANGE

UTM X

UTMY

DEPTH TO BED:

10FT

381,889.01

4,213,864.58

ZONE 15

S.W.L. (BEFORE CASING):

MINERAL TEST **REMARKS:**

TOWNSHIP

S.W.L. (AFTER CASING):

LOG ID: 002088

WELL TYPE Oil Well

DRILL DATE:

RANGE

SECTION

ELEVATION:

790FT

DRILL DEPTH:

3,445FT

38N 31W 23

UTM X

UTMY

DEPTH TO BED:

175FT

385,197.99 4,214,014.54

ZONE 15

S.W.L. (BEFORE CASING):

Well #1 - PHILBRICK - DRY OIL TEST REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 010420

WELL TYPE

Private Well

DRILL DATE:

1948/07/08

TOWNSHIP

38N

RANGE

SECTION 6

ELEVATION:

803FT

DRILL DEPTH:

205FT

31W

UTM X

UTM Y

DEPTH TO BED:

379,251.03 4,217,750.53 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: 0.5 MI W ON HOME RD FROM RICH HILL

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

013124

Private Well

1948/07/08

TOWNSHIP 38N

RANGE 31W

SECTION

ELEVATION:

803FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

350FT

6

UTM X UTM Y

379.251.03

4,217,750.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL DEEPENED (#10420) 205-350'; 0.5 MI W OF RICH HILL

ON HUME RD

S.W.L. (AFTER CASING): 95



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010424

WELL TYPE Private Well

1948/07/14 DRILL DATE:

TOWNSHIP

SECTION

ELEVATION:

802FT

DRILL DEPTH:

38N

UTM X

UTMY

DEPTH TO BED:

5FT

203FT

379,362.03

4,217,517.54

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

0.75 MI W OF RICH HILL ON HUME RD

RANGE

31W

LOG ID: 003238

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1935/04/08

TOWNSHIP

RANGE

SECTION

ELEVATION:

795FT

DRILL DEPTH:

667FT

38N 31W

UTM X

UTMY

DEPTH TO BED:

70FT

380,154.02

ZONE 15

ZONE 15

4,217,058.54

S.W.L. (BEFORE CASING):

56

FT

FT

REMARKS:

Krieger & Klump - CORRELATIONS CONFUSING

8

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 011987

Community Public Well

DRILL DATE:

1952/04/01

TOWNSHIP

RANGE

SECTION 8

ELEVATION:

793FT

DRILL DEPTH:

800FT

38N 31W

UTM X 380,754.02

UTM Y 4,217,058.53

DEPTH TO BED:

20FT

70

REMARKS:

REMARKS:

Cave 410-450 ft; 6.25 inch liner set through Cave

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

014656

Private Well

DRILL DATE:

1956/02/15

TOWNSHIP 38N

RANGE

SECTION

ELEVATION:

894FT

DRILL DEPTH:

DEPTH TO BED:

165FT 10FT

35

32W 10

UTM X

UTM Y

373,558.07 4,217,725.59 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027591

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

DRILL DEPTH:

TOWNSHIP RANGE 38N 32W

SECTION 11

ELEVATION:

905FT

435FT

UTM X 375,158.06

UTMY 4,217,458.58

DEPTH TO BED: S.W.L. (BEFORE CASING):

12FT

REMARKS: Eagle Pitcher - MINERAL TEST

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

001730

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP 38N

RANGE

SECTION 13

ELEVATION:

ZONE 15

840FT

DRILL DEPTH:

380FT

32W

UTM X

UTMY

DEPTH TO BED:

20FT

377,489.04

4,215,173.60 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

DRILLERS LOG ONLY - 2 MI SW OF RICH HILL - HOLLAND COAL

CO ??

LOG ID:

WELL TYPE

Oil Well 010934

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

DRILL DATE:

1948/10/26

TOWNSHIP

RANGE

SECTION 13

ELEVATION:

867FT

DRILL DEPTH:

198FT

38N 32W

UTM X

UTM Y

DEPTH TO BED:

376,889.05 4,215,981.59 ZONE 15

GAS WELL - 38# PRESSURE @ 195-200'; 1 MI W, 1 MI S, 0.75 MI W OF RICHH

LOG ID:

WELL TYPE

010139

Oil Well

DRILL DATE:

1949/05/24

TOWNSHIP 38N

RANGE

SECTION 16

ELEVATION:

899FT

DRILL DEPTH:

185FT

32W

UTM X

ZONE 15

372.669.08

UTM Y 4,214,986.66

DEPTH TO BED: S.W.L. (BEFORE CASING):

10FT

OLD WELL DEEPENED - SEE LOG #10881

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010881

WELL TYPE Oil Well

1949/05/24 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 892FT

38N 32W 16 **DRILL DEPTH:** 185FT

UTM X UTMY DEPTH TO BED: 10FT 372,669.08 4,214,784.66

ZONE 15

S.W.L. (BEFORE CASING): FT 5 MI W, 2 MI S, 0.5 MI E OF RICH HILL, WATER & GAS; OLD WELL **REMARKS:**

(#10139)S.W.L. (AFTER CASING): 155

LOG ID: 010423

WELL TYPE Oil Well

DRILL DATE: **TOWNSHIP SECTION** 1948/08/17 **RANGE ELEVATION:** 893FT

38N 32W 17 DRILL DEPTH: 198FT

UTM X **UTMY** DEPTH TO BED: 15FT 370,669.09 4,215,463.67

GAS WELL - 6 MI W, 1.75 MI S OF RICH HILL

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 008767

DRILL DATE: 1944/08/20 **TOWNSHIP RANGE SECTION ELEVATION:** 874FT

38N 32W 19 **DRILL DEPTH:** 377FT

FT

UTM X UTM Y

DEPTH TO BED: 369,984.09 4,213,927.71 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** Butler, MO - 1 MI W, 2.5 MI S OF SPRAGUE, 7 MI W OF RICH HILL

85 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

027549 Exploratory Hole (Mineral Prospect)

445FT

1971/00/00 **RANGE DRILL DATE: TOWNSHIP SECTION ELEVATION:** 870FT

DRILL DEPTH: UTM X UTM Y

32W

19

DEPTH TO BED: 369.184.10 4,214,331.71 5FT

ZONE 15

38N

S.W.L. (BEFORE CASING): MINERAL TEST **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012869

WELL TYPE Private Well

DRILL DATE: 1953/10/31

TOWNSHIP RANGE 38N 32W

<u>SECTION</u>

ELEVATION:

879FT

DRILL DEPTH:

700FT

32W 2

<u>UTM X</u>

<u>UTM Y</u> 4,219,250.53

DEPTH TO BED:

125FT

150

376,452.05

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING): FT

REMARKS:

GAS - 215',242',282',352'; 3 MI W ON HWY H, 0.25 MI N; OLD WELL

TO 125

LOG ID: 023494

WELL TYPE
Oil Well

DRILL DATE:

1964/11/03

TOWNSHIP

RANGE SECTION

ELEVATION:

898FT

DRILL DEPTH:

407FT

38N 32W

UTM X

UTM Y

DEPTH TO BED:

15FT

2

376,452.05

4,217,848.56

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 (BT-5) C.C. McGINNIS - E-LOG ON FILE

S.W.L. (AFTER CASING):

LOG ID: 010141

WELL TYPE
Oil Well

1948/06/02

TOWNSHIP I

38N

RANGE SECTION

ELEVATION:

888FT

DRILL DATE:
DRILL DEPTH:

202FT

32W 20

UTM X

<u>UTM Y</u> 4,214,665.69

DEPTH TO BED:

370,182.09 4 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S: GAS WELL, NOT ENOUGHT FOUND TO USE

S.W.L. (AFTER CASING): 40

LOG ID: 010421

WELL TYPE Oil Well

DRILL DATE:

.

1948/07/24

TOWNSHIP 38N RANGE SECTION

936FT

DRILL DEPTH:

181FT

32W 21

ZONE 15

ELEVATION:

UTM X

371.788.08

<u>UTM Y</u> 4,213,182.71

DEPTH TO BED:

REMARKS:

5 MI W, 2 MI S, 0.25 MI E OF RICH HILL - GAS WELL - 170-176'

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010936

DRILL DEPTH:

WELL TYPE Oil Well

<u>DRILL DATE:</u> 1949/07/09 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 896FT

678FT 38N 32W 21

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 180FT 372,188.08 4,214,590.67

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 40# GAS 258-261'; 5 MI W, 2 MI S, 0.25 MI E OF RICH HILL

S.W.L. (AFTER CASING):

LOG ID: 027572 WELL TYPE Unknown Well

<u>DRILL DATE:</u> 1971/00/00 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 886FT

DRILL DEPTH: 455FT 38N 32W 21

<u>UTM X</u> <u>UTM Y</u>

DEPTH TO BED: 372,588.08 4,214,590.67

372,588.08 4,214,590.67 ZONE 15

S.W.L. (BEFORE CASING): REMARKS: #1 JOSEPH PROPECK ? OIL & GAS , OR MINERAL TEXT ???

S.W.L. (AFTER CASING):

LOG ID: 026300

WELL TYPE Oil Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 820FT

DRILL DEPTH: 220FT 38N 32W 24

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 377,406.04 4,214,379.62

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: Well #1 CHARLES CRABB - CORE TEST #3

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

027518 Exploratory Hole (Mineral Prospect)

380FT

DRILL DATE: 1971/00/00 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 795FT

38N

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 378,006.04 4,214,379.61

32W

24

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: MINERAL TEST

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027520

WELL TYPE

Exploratory Hole (Mineral Prospect)

1971/00/00 DRILL DATE:

TOWNSHIP RANGE SECTION 38N 32W

ELEVATION: 887FT

DRILL DEPTH: 443FT

UTM X 370,440.09

UTMY 4,218,067.61

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Eagle Pitcher - MINERAL TEST

S.W.L. (AFTER CASING):

LOG ID: 020465

WELL TYPE Oil Well

DRILL DATE:

1961/01/01

TOWNSHIP

38N

SECTION RANGE

5

ELEVATION:

866FT

4,216,676.67

DRILL DEPTH:

1,830FT

33W 11

UTM X

UTMY

366,956.10 ZONE 15

DEPTH TO BED:

Well #1 LaFARGE REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 021594

WELL TYPE

Oil Well

DRILL DATE:

1962/06/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

879FT

UTM Y

DRILL DEPTH:

2,350FT

38N 33W 11

UTM X

DEPTH TO BED:

1,905FT

366,556.10 4,216,676.67

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #2 LaFARGE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

001727

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE

SECTION

ELEVATION:

879FT

DRILL DEPTH:

267FT

38N 33W 12

> UTM X 367.869.10

> > ZONE 15

UTM Y 4,217,313.65

DEPTH TO BED:

REMARKS: NEW HOME, MO.; #DDH - drillers log only

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 001935

WELL TYPE Private Well

DRILL DATE: 1915/04/29

<u>TOWNSHIP</u>

SECTION

ELEVATION:

879FT

DRILL DEPTH:

38N

12

<u>UTM X</u>

<u>UTM Y</u>

DEPTH TO BED:

367,869.10

4,217,313.65

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 021645

WELL TYPE
Oil Well

DRILL DATE:

1963/03/01

TOWNSHIP

RANGE SECTION

13

ELEVATION:

865FT

DRILL DEPTH:

535FT

38N 33W

RANGE

33W

UTM X

UTM Y

DEPTH TO BED:

60FT

368,476.10

4,215,397.69

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Puryear, Well #1

S.W.L. (AFTER CASING):

LOG ID: 027592

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1972/00/00

TOWNSHIP R

RANGE SECTION 18

ELEVATION:

889FT

DRILL DEPTH:

475FT

38N 33W

UTM X

ZONE 15

UTM Y

DEPTH TO BED:

5FT

360,095.07

4,215,565.74

S.W.L. (BEFORE CASING):

REMARKS: MINERAL TEST

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028883

DRILL DATE:

1975/09/10

TOWNSHIP 38N RANGE 33W SECTION 19 ELEVATION:

UTM X

890FT

DRILL DEPTH:

DEPTH TO BED:

905FT

UTM Y

359,595.07 4 ZONE 15

4,215,176.75

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023497

WELL TYPE Oil Well

1965/04/26 DRILL DATE:

TOWNSHIP 38N

RANGE SECTION 6

ELEVATION:

842FT

DRILL DEPTH: 516FT 33W

UTM X **UTMY** 4,219,892.63

359,988.09

ZONE 15

DEPTH TO BED: 5FT S.W.L. (BEFORE CASING):

REMARKS: Well #1 (BT-7) Ed Norbury

S.W.L. (AFTER CASING):

LOG ID: 013078

WELL TYPE

Community Public Well

DRILL DATE:

1954/06/24

TOWNSHIP

SECTION RANGE

8

ELEVATION:

896FT

DRILL DEPTH:

620FT

38N 33W

UTM X

UTMY

DEPTH TO BED:

10FT

200

361,303.08

4,217,101.69

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016763

WELL TYPE Private Well

DRILL DATE:

1957/10/11

TOWNSHIP

RANGE SECTION

29W

ELEVATION:

UTM X

801FT

DRILL DEPTH:

110FT

39N

10

UTM Y

DEPTH TO BED:

5FT

34

404,396.01 4,225,106.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NW OF APPLETON CITY

S.W.L. (AFTER CASING):

LOG ID: 007199

WELL TYPE Private Well

1940/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

811FT

DRILL DATE: DRILL DEPTH:

490FT

39N

29W 18

UTM X

399.450.99

UTM Y

DEPTH TO BED:

265FT

4,223,469.31

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL TO 180', SULFUR WATER, NO SAMPLES 180-260'

S.W.L. (AFTER CASING): 90



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008054

WELL TYPE Oil Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 821FT

39N 29W 18 **DRILL DEPTH:** 349FT

UTM X **UTMY** DEPTH TO BED: 8FT

399,350.99 4,223,576.31

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: #1 CULVER

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

Noncommunity Public Well 012123

DRILL DATE: **TOWNSHIP SECTION** 1951/00/00 **RANGE ELEVATION:** 851FT

39N 29W 2 DRILL DEPTH: 450FT

UTM X UTMY DEPTH TO BED: 405,641.01 4,227,315.25

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** LONG 1 X 2.6 MI SECTION; @ HUDSON, 2.5 MI W OF APPLETON

S.W.L. (AFTER CASING): 110 CITY ON HY 52

LOG ID: 020245

DRILL DEPTH:

WELL TYPE Private Well

SECTION DRILL DATE: 1961/08/26 **TOWNSHIP RANGE ELEVATION:** 759FT

> 39N 29W 27 110FT

UTM X UTM Y

DEPTH TO BED: 404,268.01 4,219,962.32

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: 8 MI SW OF APPLETON CITY

18 S.W.L. (AFTER CASING):

LOG ID: 006811

WELL TYPE Private Well

1941/04/04 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 772FT

39N

DRILL DEPTH: 436FT UTM X UTM Y

29W

DEPTH TO BED: 401,247.99 4,220,036.34 245FT

ZONE 15

28

S.W.L. (BEFORE CASING): NO SAMPLES 0-245' **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013021

WELL TYPE Private Well

DRILL DATE: 1954/07/01

TOWNSHIP RANGE SECTION
39N 29W 31

ELEVATION:

789FT

DRILL DEPTH: 400FT

<u>UTM X</u> 398,095.98 <u>UTM Y</u> 4,218,546.37

DEPTH TO BED:

DEMARKO: COAN

98,095.98

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SCANNED - VERY FEW SAMPLES LOGGED

S.W.L. (AFTER CASING):

LOG ID: 018339 WELL TYPE Private Well

DRILL DATE:

1959/05/29

TOWNSHIP

RANGE SECTION

ELEVATION:

983FT

DRILL DEPTH:

375FT

39N 30W

UTM X

<u>UTM Y</u>

DEPTH TO BED: 10FT

397,710.98

4,228,187.25

S.W.L. (BEFORE CASING):

REMARKS: LONG 1 X 2.5 MI SECTION; POOR SAMPLES - USE WITH CAUTION

1

S.W.L. (AFTER CASING):

LOG ID: 005733

WELL TYPE Oil Well

DRILL DATE:

1939/06/30

TOWNSHIP 39N RANGE SECTION

ELEVATION:

1,009FT

DRILL DEPTH:

1,434FT

30W 11

UTM X

<u>UTM Y</u>

DEPTH TO BED:

395,969.97 4,224,991.30

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

Formerly Patton el al - Well #1 - John Lee @ Pleasant Gap

S.W.L. (AFTER CASING):

LOG ID: 013122

WELL TYPE Private Well

DRILL DATE:

1954/01/05

TOWNSHIP 39N RANGE SECTION

ELEVATION:

396.169.97

982FT

DRILL DEPTH:

395FT

15FT

30W 11

UTM X UTM Y

4,225,595.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI S OF BUTLER, JCT HWYS 71 & 52

S.W.L. (AFTER CASING):

DEPTH TO BED:

250

2/26/2007 204



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015461

WELL TYPE Private Well

1956/05/14 DRILL DATE:

TOWNSHIP 39N

RANGE SECTION 30W

ELEVATION:

859FT

DRILL DEPTH:

495FT

142

20

UTM X

UTMY 4,222,171.36

390,192.95

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

FT **REMARKS**:

YIELD 25 GPM @ 200'

ZONE 15

ZONE 15

ZONE 15

LOG ID:

008553

WELL TYPE Private Well

DRILL DATE:

1944/03/17

TOWNSHIP

SECTION RANGE

ELEVATION:

809FT

DRILL DEPTH:

430FT

39N 30W 25

> UTM X 397,610.98

UTMY 4,220,049.35

DEPTH TO BED:

FT

REMARKS: 3 MI N, 0.25 MI E OF PRAIRIE CITY

S.W.L. (AFTER CASING): 99

S.W.L. (BEFORE CASING):

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 013341

WELL TYPE Private Well

DRILL DATE:

1954/10/07

TOWNSHIP

RANGE

SECTION

ELEVATION:

869FT

DRILL DEPTH:

510FT

39N

30W

25

DEPTH TO BED:

245FT

UTM X 396,710.98

UTM Y 4,221,487.34

160

FT

REMARKS:

OLD WELL TO 245'; 9 MI E, 3 MI N OF RICH HILL, 4 MI N OF

PRAIRIE CITY

LOG ID:

WELL TYPE Private Well

008522

DRILL DATE:

1944/02/18

TOWNSHIP

RANGE

SECTION 36

ELEVATION:

846FT

DRILL DEPTH:

DEPTH TO BED:

400FT

39N 30W

UTM X

UTM Y

397,232.98

4,218,642.37

ZONE 15

S.W.L. (BEFORE CASING):

60

FT

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007806

WELL TYPE Private Well

1942/05/09 DRILL DATE:

TOWNSHIP 39N

SECTION 8

ELEVATION:

804FT

DRILL DEPTH:

DEPTH TO BED:

445FT

30W

RANGE

UTM X

UTMY 4,226,014.29

390,552.95 ZONE 15

S.W.L. (BEFORE CASING):

DRILLERS LOG TO 130 FT - THEN SAMPLE LOG **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 012190

WELL TYPE Private Well

DRILL DATE:

1952/07/30

TOWNSHIP

RANGE

SECTION 9

ELEVATION:

915FT

DRILL DEPTH:

415FT

39N 30W

> **UTM X** 391,853.95

> > ZONE 15

UTMY 4,226,566.28

DEPTH TO BED:

200

210

FT

FT

REMARKS: 3 MI S OF BUTLER ON HWY 71, 6.25 MI E ON HWY 52, 3 MI S

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 009066

WELL TYPE Private Well

DRILL DATE:

1945/11/22

TOWNSHIP

RANGE

SECTION

ELEVATION:

387,544.97

938FT

DRILL DEPTH:

582FT

39N 31W

UTM X

UTM Y 4,228,366.27

DEPTH TO BED:

REMARKS:

ZONE 15 RFD #6, Butler - LONG 1 X 2.5 MI SECTION; RFD, BUTLER

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 024108

WELL TYPE Private Well

DRILL DATE:

1966/01/15

TOWNSHIP 39N

RANGE

SECTION

ELEVATION:

912FT

DRILL DEPTH:

DEPTH TO BED:

300FT 5FT 31W

UTM X

UTM Y

387.744.97 4,228,877.26

ZONE 15

FT **REMARKS:**

POSSIBLE LONG 1 X 2.5 MI SECTION

S.W.L. (AFTER CASING):

50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009168

WELL TYPE Private Well

1946/03/22 DRILL DATE:

TOWNSHIP RANGE 39N 31W

SECTION 2

ELEVATION:

940FT

DRILL DEPTH: 598FT

UTM X

UTMY 4,229,217.27

DEPTH TO BED:

FT

386,332.98

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

225

REMARKS:

RFD #6, Butler - 3 mi S of Butler on Hwy 71, 2 mi E on Hwy 52, 1.5 mi

S, 1 mi E

LOG ID: 011435

WELL TYPE Private Well

DRILL DATE:

1950/08/08

TOWNSHIP

RANGE

SECTION

ELEVATION:

755FT

DRILL DEPTH:

200FT

39N 31W 20

UTM X

UTMY

DEPTH TO BED:

380,499.02

4,222,649.43

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI N OF RICH HILL ON HWY 71, 200' E

S.W.L. (AFTER CASING):

10

WELL TYPE Private Well

DRILL DATE:

1959/06/01

TOWNSHIP

RANGE

SECTION 20

ELEVATION:

755FT

DRILL DEPTH:

LOG ID:

018563

60FT

11

39N

31W

UTM X

DEPTH TO BED:

27FT

UTM Y 381,299.02 4,222,447.43

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 2 MI N OF RICH HILL ON HWY 71

S.W.L. (AFTER CASING):

LOG ID: 018564

WELL TYPE Private Well

DRILL DATE:

1959/06/12

TOWNSHIP

RANGE

SECTION 20

ELEVATION:

756FT

DRILL DEPTH:

39N

31W

DEPTH TO BED:

60FT 58FT

11

UTM X 381.699.01

UTM Y 4.222.447.42

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2 MI N OF RICH HILL ON HWY 71



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014679

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 763FT

> 39N 31W 28

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 40FT 381,822.01 4,220,748.45

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

175FT

S.W.L. (AFTER CASING): 30

LOG ID: 010138

WELL TYPE Oil Well

DRILL DATE: **TOWNSHIP SECTION** 1948/04/22 **RANGE ELEVATION:** 797FT

39N 31W 31 DRILL DEPTH: 165FT

UTM X **UTMY** DEPTH TO BED: 378,543.04 4,219,334.51

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: "#1 FEE"; OIL WELL CONVERTED TO WATER??

S.W.L. (AFTER CASING): 35

LOG ID: 008306

WELL TYPE Oil Well

DRILL DATE: 1943/07/01 **TOWNSHIP RANGE SECTION ELEVATION:** 801FT

39N 32W **DRILL DEPTH:** 860FT

UTM X UTM Y

DEPTH TO BED: 50FT 378,227.04 4,229,059.32

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: #1 BRANNON - E-LOG ON FILE - DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID: 016926

WELL TYPE Private Well

1958/01/03 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 835FT

39N

DRILL DEPTH: 115FT UTM X UTM Y

32W

21

DEPTH TO BED: 30FT 373.226.07 4,222,899.48

ZONE 15

S.W.L. (BEFORE CASING): FT 7 MI W OF RICH HILL **REMARKS**:

S.W.L. (AFTER CASING): 32



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017267

WELL TYPE Private Well

1958/03/11 DRILL DATE:

TOWNSHIP 39N

RANGE SECTION **ELEVATION:**

832FT

DRILL DEPTH:

165FT

32W 21

UTMY

DEPTH TO BED:

5FT

UTM X 372,926.08

4,223,404.47

ZONE 15

S.W.L. (BEFORE CASING):

FT

4 MI W, 6 MI N OF RICH HILL **REMARKS:**

S.W.L. (AFTER CASING):

140

LOG ID: 003494

WELL TYPE Oil Well

DRILL DATE:

1935/11/15

TOWNSHIP 39N

SECTION RANGE

ELEVATION:

844FT

DRILL DEPTH:

315FT

32W

22

UTM X

UTMY

DEPTH TO BED:

5FT

374,122.07

4,223,334.47

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#1 FEE; LIGHT SHOW OF OIL @ 193'; DRILLER'S LOG 0-296',

SAMPLES TO 310

LOG ID: 001933

WELL TYPE Unknown Well

DRILL DATE:

TOWNSHIP 39N

RANGE

SECTION

ELEVATION:

824FT

DRILL DEPTH:

91FT

32W 25

UTM X

UTM Y

DEPTH TO BED:

10FT

377,041.05

4,220,997.49

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

purpose of well unknown - DRILLER'S LOG ONLY = near Rich Hill, MO

S.W.L. (AFTER CASING):

LOG ID: 001729

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 39N

RANGE 32W

SECTION 26

ELEVATION:

827FT

DRILL DEPTH: DEPTH TO BED: 158FT

UTM Y

REMARKS:

UTM X 376,736.05

4,221,966.47 ZONE 15

S.W.L. (BEFORE CASING):

4.5 MI NW OF RICH HILL - drillers log only

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017506

DEPTH TO BED:

WELL TYPE Private Well

1958/04/19 DRILL DATE: **TOWNSHIP**

RANGE SECTION 39N 32W 29

ELEVATION:

780FT

DRILL DEPTH: 220FT

UTM X

UTMY 4,222,676.51

20FT

28

370,826.09

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 027519

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1971/00/00

TOWNSHIP 39N

SECTION RANGE

ELEVATION:

840FT

DRILL DEPTH:

430FT

32W 29

UTM X

UTMY

DEPTH TO BED:

4,222,676.50

371,426.09

ZONE 15

S.W.L. (BEFORE CASING):

S OF OLD SCHOOL REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 013895

WELL TYPE Private Well

DRILL DATE: 1955/06/25

TOWNSHIP 39N

RANGE SECTION **ELEVATION:**

778FT

DRILL DEPTH:

160FT

32W 3

> **UTM X** 374,827.06

UTM Y 4,229,699.33

DEPTH TO BED:

25FT

ZONE 15

@ 78'

S.W.L. (BEFORE CASING):

FT

REMARKS:

LONG 1 x 2.5 MI SECTION; OIL @ 35-50, 85', 115' CASED OUT; PLG

S.W.L. (AFTER CASING):

15

LOG ID: 013121

WELL TYPE Private Well

DRILL DATE:

1954/07/17

TOWNSHIP

RANGE

SECTION

ELEVATION:

880FT

DRILL DEPTH:

375FT

39N 32W 33

UTM X

372.241.08

UTM Y

DEPTH TO BED:

10FT

4,220,906.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

3 MI W, 2 MI N, 1.75 MI W OF RICH HILL **REMARKS:**

S.W.L. (AFTER CASING):

40



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016925

DRILL DATE:

WELL TYPE Private Well

1957/11/30

TOWNSHIP 39N

RANGE SECTION 32W

ELEVATION:

905FT

DRILL DEPTH:

100FT

33

UTM X

UTMY

DEPTH TO BED: 15FT

372,541.08

4,219,586.56

ZONE 15

S.W.L. (BEFORE CASING):

FT

5 MI W, 1 MI N OF RICH HILL **REMARKS**:

S.W.L. (AFTER CASING):

18

LOG ID: 000355

WELL TYPE Private Well

DRILL DATE:

228FT

TOWNSHIP 39N

REMARKS:

SECTION RANGE

ELEVATION:

906FT

DRILL DEPTH:

32W 35

UTM X

UTMY

DEPTH TO BED:

38FT

DRILLER'S LOG ONLY - Good's land

375,449.06 4,219,953.53 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 000356

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 39N

SECTION RANGE

ELEVATION:

912FT

DRILL DEPTH:

225FT

32W 35

UTM X

UTM Y 4,219,549.53

DEPTH TO BED:

5FT

375,849.05 ZONE 15

REMARKS: DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

Private Well 000357

DRILL DATE:

TOWNSHIP 39N

RANGE SECTION **ELEVATION:**

853FT

DRILL DEPTH:

224FT

32W 35

> UTM X 376.049.05

UTM Y 4,220,155.52

DEPTH TO BED:

5FT

"NEW HOME" - drillers log only

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000358

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 869FT

<u>DRILL DEPTH:</u> 254FT 39N 32W 35

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 3FT 375,349.06 4,220,256.52

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRILLER'S LOG ONLY - Collins land - near Hodges House

S.W.L. (AFTER CASING):

LOG ID: 010142

WELL TYPE
Private Well

DRILL DATE: 1948/05/16 TOWNSHIP RANGE SECTION ELEVATION: 822FT

DRILL DEPTH: 91FT 39N 32W 35

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 15FT 376,349.05 4,220,054.51

S.W.L. (BEFORE CASING): FT DEMARKS OF STAIN 50.051

REMARKS: OIL STAIN 50-65'

S.W.L. (AFTER CASING): 22

LOG ID: 013339

WELL TYPE Private Well

<u>DRILL DATE:</u> 1954/11/06 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 772FT

DRILL DEPTH: 125FT 39N 32W 4

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 30FT 373,245.07 4,228,769.36 ZONE 15

LONG 1 X 2.5 MI SECTION; 9 MI N OF RICH HILL ON HWY 71, 5.25

S.W.L. (AFTER CASING): 25 MI W, 1 S

FT

FT

S.W.L. (BEFORE CASING):

S.W.L. (BEFORE CASING):

LOG ID: 016018

WELL TYPE Private Well

DRILL DATE: 1956/08/29 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 774FT

DRILL DEPTH: 230FT 39N 32W 4

REMARKS:

<u>DEPTH TO BED:</u> 25FT <u>UTM Y</u> 373,245.07 4,229,765.33

ZONE 15

S.W.L. (AFTER CASING): REMARKS: LONG 1 X 2.5 MI SECTION; 1 MI W OF NYHART; OIL SAND 210-220'

2/26/2007 212



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016020

WELL TYPE Private Well

1956/09/18 DRILL DATE:

TOWNSHIP RANGE SECTION 39N 32W 4

ELEVATION:

773FT

DRILL DEPTH: 130FT

S.W.L. (AFTER CASING):

UTM X

UTMY

DEPTH TO BED: 60FT 373,245.07

4,230,263.32

ZONE 15

S.W.L. (BEFORE CASING):

FT

LONG 1 X 2.5 MI SECTION; PLUGGED BACK TO 12' TO SHUT OFF **REMARKS:**

OIL @ 130'

LOG ID:

WELL TYPE

027593

Exploratory Hole (Mineral Prospect)

30

DRILL DATE:

1972/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

850FT

DRILL DEPTH:

495FT

39N 32W

UTM X

UTMY

DEPTH TO BED: 15FT 372,452.08

4,227,845.38

ZONE 15

S.W.L. (BEFORE CASING):

"MINERAL TEST" **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 013684

WELL TYPE Private Well

DRILL DATE:

1955/05/06

TOWNSHIP 39N

RANGE

SECTION 15

5

ELEVATION:

837FT

DRILL DEPTH:

725FT

33W

UTM X

UTM Y 4,225,365.48

DEPTH TO BED:

364,369.11

ZONE 15

S.W.L. (BEFORE CASING):

110

FT

REMARKS: 2 MI DUE W OF FOSTER

S.W.L. (AFTER CASING):

LOG ID: 019188

WELL TYPE Private Well

DRILL DATE:

1960/06/16

TOWNSHIP 39N

RANGE 33W

SECTION

ELEVATION:

873FT

DRILL DEPTH:

150FT

15

UTM X UTM Y

365.769.11 ZONE 15

4,225,163.48

FT

VERY POOR SAMPLES - DO NOT USE; 1 MI W OF FOSTER **REMARKS**:

S.W.L. (AFTER CASING):

DEPTH TO BED:

S.W.L. (BEFORE CASING):

85



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015424

WELL TYPE Private Well

DRILL DATE: 1956/07/01

TOWNSHIP RANGE 39N 33W

SECTION

ELEVATION:

819FT

DRILL DEPTH:

675FT

16

UTM X

<u>UTM Y</u>

DEPTH TO BED:

195FT

363,365.12 4,225,232.49

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL TO 195', PLUGGED BACK TO 660'

S.W.L. (AFTER CASING):

LOG ID: 028884

WELL TYPE

DRILL DATE: 1975/09/27

TOWNSHIP RANGE 39N 33W

NGE SECTION

ELEVATION:

359,873.12

840FT

DRILL DEPTH:
DEPTH TO BED:

885FT

33W 18

UTM X

ZONE 15

<u>UTM Y</u> 4,225,696.49

REMARKS:

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

LOG ID: 013340

WELL TYPE

Private Well

DRILL DATE:

1955/01/21

TOWNSHIP RANGE

SECTION 2

2

ELEVATION:

793FT

DRILL DEPTH:

155FT

39N 33W 2

<u>UTM X</u> 366,624.12

<u>UTM Y</u> 4,229,539.37

DEPTH TO BED:

5FT

20

REMARKS:

ZONE 15 LONG 1 X 2.5 MI SECTION; 0.5 MI N, 1.25 MI W OF FOSTER

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 016664

WELL TYPE Private Well

DRILL DATE:

1957/08/15

TOWNSHIP

RANGE SECTION

ELEVATION:

818FT

DRILL DEPTH:

DEPTH TO BED:

200FT 15FT 39N 33W

<u>UTM X</u>

<u>UTM Y</u> 4,228,025.41

367,024.11

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: LONG 1 X 2.5 MI SECTION;

S.W.L. (AFTER CASING): 40

2/26/2007 214



(Click on Well Log ID to Access Image of Well Strip Log)

820FT

870FT

ZONE 15

LOG ID: 028879

WELL TYPE

DRILL DATE: 1975/12/19 **TOWNSHIP RANGE SECTION ELEVATION:**

> 39N 33W 30

DRILL DEPTH: 700FT UTM X **UTMY**

DEPTH TO BED: 359,743.11 4,222,481.57 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 028887

WELL TYPE

DRILL DATE: 1975/09/10

TOWNSHIP SECTION RANGE ELEVATION: 30

33W 39N DRILL DEPTH: 920FT

UTM X **UTMY** DEPTH TO BED: 359,743.11 4,222,481.57

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 023495

WELL TYPE Oil Well

DRILL DATE: 1964/10/29 **TOWNSHIP RANGE SECTION ELEVATION:** 847FT

39N 33W 36 **DRILL DEPTH:** 442FT

UTM X UTM Y

DEPTH TO BED: 20FT 367,446.11 4,221,107.57 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: Well #1 (BT-4) H.H. Swickhamer - E-log on file

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

DRILL DEPTH:

Private Well 003697

1936/07/01 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 851FT

UTM X UTM Y DEPTH TO BED: 30FT 360,032.13 4,226,550.47

33W

7

ZONE 15 S.W.L. (BEFORE CASING):

39N

WORLAND REMARKS: S.W.L. (AFTER CASING):

140FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013314

WELL TYPE Private Well

1955/01/08 DRILL DATE:

39N

RANGE SECTION **ELEVATION:**

812FT

DRILL DEPTH:

175FT

33W 9

UTM X

UTMY

DEPTH TO BED:

10FT

9

363,455.12 4,226,425.46

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.5 MI N, 2.5 MI W OF FOSTER

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE:

LOG ID:

003403

1935/07/08

TOWNSHIP

TOWNSHIP

SECTION RANGE

ELEVATION:

801FT

DRILL DEPTH:

320FT

40N 29W 15

UTM X

UTMY

DEPTH TO BED:

120FT

401,581.01

4,235,244.17

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: at Spruce - NO DATA ("#55")

LOG ID: 018341

WELL TYPE Private Well

DRILL DATE: 1959/04/17

TOWNSHIP

RANGE SECTION

ELEVATION:

905FT

DRILL DEPTH:

355FT

40N 29W 21

UTM X

399,803.99

UTM Y

DEPTH TO BED:

4,234,632.18

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

270

FT **REMARKS**:

1 MIS, 0.5 MI W OF SPRUCE

LOG ID:

WELL TYPE Private Well

022604

1963/08/01

TOWNSHIP 40N

RANGE

SECTION 25

ELEVATION:

977FT

DRILL DATE: DRILL DEPTH:

445FT

29W

UTM X

UTM Y

DEPTH TO BED:

25FT

225

405.917.02

4,232,868.21 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2/26/2007

216



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005291

DRILL DEPTH:

WELL TYPE Private Well

1939/03/11 DRILL DATE:

510FT

DEPTH TO BED: 315FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE 40N 29W 32

SECTION

ELEVATION:

982FT

UTM X 398,770.98

UTM Y 4,231,366.21

ZONE 15

250

WELL TYPE Private Well

020078

LOG ID:

DRILL DATE:

1960/09/24

TOWNSHIP

SECTION RANGE

ELEVATION:

905FT

DRILL DEPTH:

205FT

32

40N 30W 1

50,000 CF GAS @ 280-290'

UTM X

UTMY

DEPTH TO BED: 5FT

396,275.02

4,238,727.10

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

REMARKS: 7.5 MI NE OF BUTLER

ZONE 15

ZONE 15

LOG ID:

WELL TYPE Private Well

019187 **DRILL DATE:**

1960/04/01

TOWNSHIP 40N

RANGE SECTION **ELEVATION:**

852FT

DRILL DEPTH:

100FT

30W 17

3 MI E OF BUTLER ON HWY H

UTM X 388,647.98

UTM Y 4,235,866.14

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 012169

WELL TYPE Private Well

DRILL DATE:

1952/01/26

TOWNSHIP 40N

REMARKS:

RANGE

SECTION

ELEVATION:

857FT

DRILL DEPTH:

120FT

30W 18

UTM X 387.746.99

UTM Y 4,235,824.15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

4 MI E OF BUTLER ON SUMMIT RD

ZONE 15

S.W.L. (AFTER CASING):

55

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018593

DRILL DEPTH:

WELL TYPE Private Well

1959/05/15 DRILL DATE:

DEPTH TO BED: 5FT

70FT

S.W.L. (BEFORE CASING):

FT

30

TOWNSHIP RANGE SECTION 40N 30W

28

ELEVATION:

853FT

UTMY

UTM X

390,004.95 4,233,403.18

ZONE 15

6 MI E OF BUTLER - POOR SAMPLES, USE WITH CAUTION

LOG ID:

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

020101

1961/05/22

TOWNSHIP

REMARKS:

SECTION RANGE

ELEVATION:

879FT

DRILL DEPTH:

S.W.L. (AFTER CASING):

65FT 20FT

40N 30W 28

RANGE

30W

UTM X

ELEVATION:

UTM X

388,925.96

UTMY

908FT

UTM Y

4,230,974.22

391,404.95

4,233,504.18 ZONE 15

S.W.L. (BEFORE CASING):

57

195

FT

FT

REMARKS: 6.5 MI E OF BUTLER

TOWNSHIP

40N

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

009075 **DRILL DATE:**

1946/02/12

527FT

DRILL DEPTH: DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE Private Well

005345

LOG ID:

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1939/04/01

615FT

463FT

TOWNSHIP 40N

RANGE 30W

SECTION 35

SECTION

32

ELEVATION: 961FT

UTM X UTM Y 393,352.96 4,231,965.20

ZONE 15

ZONE 15

NO SAMPLES LOGGED 0-463' **REMARKS:**

RFD 6, BUTLER

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020123

DEPTH TO BED:

WELL TYPE Private Well

1960/06/23 DRILL DATE:

TOWNSHIP 40N

RANGE SECTION 35

ELEVATION:

950FT

DRILL DEPTH: 500FT

UTM X **UTMY** 4,230,755.22

ZONE 15

393,552.96

S.W.L. (BEFORE CASING):

7 MI E OF JCT HWYS 71 & 52 ON HWY 52 **REMARKS**:

30W

S.W.L. (AFTER CASING):

LOG ID: 002910

WELL TYPE

Community Public Well

5FT

DRILL DATE:

1934/09/13

TOWNSHIP

SECTION RANGE

ELEVATION:

861FT

DRILL DEPTH:

1,140FT

31W 15 40N

UTM X

UTMY

DEPTH TO BED:

382,493.02

4,236,030.16 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

80

LOG ID: 003771

WELL TYPE

Community Public Well

DRILL DATE:

1936/08/28

TOWNSHIP

RANGE SECTION **ELEVATION:**

857FT

DRILL DEPTH:

594FT

40N

31W 15

DEPTH TO BED:

8FT

UTM X 382,493.02

UTM Y 4,236,030.16

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRILLER'S LOG ONLY - "POWER PLANT"

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017934

Noncommunity Public Well

DRILL DATE:

1958/12/24

TOWNSHIP

RANGE SECTION **ELEVATION:**

849FT

275FT

40N

31W

19

DRILL DEPTH: DEPTH TO BED:

10FT

250

UTM X UTM Y 378.235.04 4,235,245.19

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

barn well - VERY POOR SAMPLES, DO NOT USE FOR **REMARKS:**

CORRELATION; 4.5 MI W OF BUTLER



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011393

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1950/04/15 DRILL DATE:

100FT

10FT

14

TOWNSHIP RANGE SECTION 40N 20

31W

ELEVATION:

863FT

UTM X **UTMY** 378,928.04 4,235,381.19

ZONE 15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

2 MI W OF BUTLER ON HWY 52, N SIDE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 016019

WELL TYPE Private Well

DRILL DATE:

1956/10/09

TOWNSHIP

TOWNSHIP

40N

SECTION RANGE

ELEVATION:

847FT

DRILL DEPTH:

115FT

40N 31W 20

RANGE

31W

UTM X 379,028.04

ELEVATION:

UTM X

381,320.02

UTMY 4,235,181.19

852FT

UTM Y

4,235,215.18

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

20

REMARKS:

REMARKS:

LOG ID: 011396

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1950/05/04

120FT

5FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 13

LOG ID: 001869

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

250FT

DEPTH TO BED:

40FT

TOWNSHIP 40N

RANGE SECTION 31W

22

SECTION

21

0.75 MI W OF BUTLER ON HWY 52, N SIDE

ELEVATION:

856FT

UTM Y

UTM X

382.731.01 4,235,148.18

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

VERY POOR LOG, MOST SAMPLES MISSING **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 001934

DEPTH TO BED:

WELL TYPE Private Well

218FT

15FT

1915// DRILL DATE:

TOWNSHIP 40N

RANGE SECTION 22

ELEVATION:

827FT

DRILL DEPTH:

31W

UTM X

UTMY 4,234,757.18

383,251.00 ZONE 15

S.W.L. (BEFORE CASING):

DRILLER'S LOG ONLY - NO LOCATION **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 004640

WELL TYPE Private Well

DRILL DATE:

1938/02/22

TOWNSHIP

RANGE

SECTION

ELEVATION:

827FT

DRILL DEPTH:

245FT

40N 31W 22

> **UTM X** 383,251.00

UTMY 4,234,757.18

DEPTH TO BED:

15FT

REMARKS:

REMARKS:

DUG WELL TO 15' - SECTION NOT GIVEN; RFD AMORET

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

175

FT

LOG ID: 005416

WELL TYPE Private Well

DRILL DATE:

1939/06/01

TOWNSHIP RANGE SECTION 22

ELEVATION: 827FT

DRILL DEPTH: DEPTH TO BED: 40FT 35FT

40N 31W

UTM X

383,251.00

UTM Y 4,234,757.18

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003773 Community Public Well

DRILL DATE:

1936/08/15

TOWNSHIP RANGE

in Dixon

ELEVATION:

793FT

DRILL DEPTH:

DEPTH TO BED:

168FT

5FT

40N 31W 26

> UTM X UTM Y

> > ZONE 15

384.174.99

4,233,983.19

SECTION

S.W.L. (BEFORE CASING):

DRILLER'S LOG ONLY - "CITY FARM" **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017266

WELL TYPE Private Well

1958/05/01 DRILL DATE:

TOWNSHIP 40N

RANGE SECTION 31W 26

ELEVATION:

801FT

DRILL DEPTH:

84FT

UTMY 4,234,084.19

DEPTH TO BED:

FT

UTM X 384,774.99

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1 MI S, 1 MI E OF BUTLER

S.W.L. (AFTER CASING):

28

LOG ID: 017931

WELL TYPE Private Well

DRILL DATE:

1958/05/01

TOWNSHIP

SECTION RANGE

ELEVATION:

799FT

DRILL DEPTH:

100FT

5FT

40N 31W

UTM X

UTMY

DEPTH TO BED:

26

4,234,185.19

384,774.99 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI E, 0.5 MI S OF BUTLER (LOT 65)

S.W.L. (AFTER CASING):

30

LOG ID: 009655

WELL TYPE Private Well

DRILL DATE:

1946/06/27

TOWNSHIP 40N

RANGE SECTION **ELEVATION:**

803FT

DRILL DEPTH:

155FT

31W 27

UTM X 382,063.01 UTM Y

DEPTH TO BED:

4,232,957.22

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

10

FT

REMARKS:

1 MI S OF BUTLER ON HWY 71, 300' E

LOG ID: 011281

WELL TYPE Private Well

DRILL DATE:

1948/01/08

TOWNSHIP

SECTION RANGE

ELEVATION:

785FT

DRILL DEPTH:

DEPTH TO BED:

525FT

10FT

40N 31W 29

UTM X

UTM Y 4,233,192.23

379.961.02

ZONE 15

S.W.L. (BEFORE CASING):

FT

3 MI SW OF BUTLER; YIELD - 15 GPM @ 175' **REMARKS**:

S.W.L. (AFTER CASING):

70



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013584

WELL TYPE Private Well

DRILL DATE: 1954/00/00

TOWNSHIP 40N SECTION

ELEVATION:

811FT

DRILL DEPTH:

335FT

29

UTM X

379,161.03

<u>UTM Y</u> 4,233,590.22

20NE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

<u>REMARKS:</u> 295-335

295-335 PENN SAMPLES OUT-OF-PLACE

S.W.L. (AFTER CASING):

LOG ID: 005417

WELL TYPE Private Well

DRILL DATE:

1939/05/12

TOWNSHIP

RANGE SECTION

ELEVATION:

778FT

DRILL DEPTH:

65FT

40N 31W 32

RANGE

31W

UTM X

UTM Y

DEPTH TO BED:

15FT

379,096.03 4,232,785.24

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 023742

WELL TYPE Private Well

DRILL DATE:

1965/05/27

TOWNSHIP RANGE

SECTION 4

ELEVATION:

875FT

DRILL DEPTH:

650FT

40N 31W

<u>UTM X</u> 381,607.06 <u>UTM Y</u> 4,239,330.10

DEPTH TO BED:

5FT

175

FT

REMARKS:

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

018343DRILL DATE:

1959/04/13

1909/04/10

TOWNSHIP 40N RANGE SEC

SECTION

5

ELEVATION: 826FT

ZONE 15

DRILL DEPTH:

DEPTH TO BED:

409FT

31W

UTM X

ZONE 15

380,424.08

<u>UTM Y</u> 4,240,390.08

S.W.L. (BEFORE CASING):

30FT

REMARKS: OLD WELL DEEPENED - SEE LOG #20247

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020247

WELL TYPE Private Well

409FT

1959/04/13 DRILL DATE:

TOWNSHIP 40N

RANGE SECTION **ELEVATION:**

826FT

DRILL DEPTH:

31W

5

UTM X 380,424.08

UTMY 4,240,390.08

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING):

OLD WELL (#18343) TO 210'- POOR SAMPLES, USE WITH CARE **REMARKS**:

17

S.W.L. (AFTER CASING):

LOG ID: 009656

WELL TYPE Private Well

DRILL DATE:

1946/07/09

TOWNSHIP

SECTION RANGE

ELEVATION:

890FT

DRILL DEPTH:

201FT

40N 32W

> UTM X 369,372.12

UTMY 4,237,879.17

DEPTH TO BED:

5FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

60

FT

REMARKS: 1 MI N OF HWY 52 AT VIRGINIA, MO

LOG ID: 003709

WELL TYPE

Community Public Well

DRILL DATE:

1936/08/12

TOWNSHIP

RANGE SECTION **ELEVATION:**

776FT

DRILL DEPTH:

422FT

40N 32W 24

UTM X UTM Y

ZONE 15

DEPTH TO BED:

25FT

377,023.06 4,235,699.19

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Pump Station Miami Cr. - DEEPENED 422-545' IN 1936

S.W.L. (AFTER CASING):

LOG ID: 010882

WELL TYPE Private Well

DRILL DATE:

1949/04/28

TOWNSHIP

RANGE SECTION **ELEVATION:**

UTM X

818FT

DRILL DEPTH:

445FT

40N 32W

UTM Y

DEPTH TO BED:

170FT

375.823.06

4,235,196.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

4 MI W OF BUTLER ON HWY 52: 75' SE OF GAS WELL **REMARKS**:

24

125 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011280

WELL TYPE Oil Well

1947/11/22 DRILL DATE:

TOWNSHIP 40N

RANGE SECTION 32W

24

ELEVATION:

ZONE 15

817FT

DRILL DEPTH: 170FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

UTM X 375,723.06

UTMY 4,235,196.21

DEPTH TO BED:

FT

30

4 MI W OF BUTLER ON HWY 52; WATER & GAS WELL; SET **REMARKS**:

PACKER ABOVE GAS

LOG ID: 011282

WELL TYPE Private Well

DRILL DATE:

1947/08/07

TOWNSHIP

RANGE

SECTION ELEVATION: 851FT

DRILL DEPTH:

336FT

40N 32W 26

UTM X

UTMY

DEPTH TO BED: 10FT

374,851.06

4,234,582.22 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: **GAS PRESENT**

S.W.L. (AFTER CASING):

LOG ID: 023100

WELL TYPE

Injection Well (OIL FIELD)

70

DRILL DATE:

1964/10/08

TOWNSHIP

REMARKS:

RANGE

SECTION

ELEVATION:

866FT

DRILL DEPTH:

365FT

40N

32W

#1 TRACY - UNDER GAS STORAGE

30

UTM X

UTM Y

DEPTH TO BED:

5FT

367,533.12

4,234,441.26 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 016023

WELL TYPE Private Well

DRILL DATE:

1956/09/26

TOWNSHIP

RANGE

SECTION

ELEVATION:

890FT

DRILL DEPTH:

190FT

40N

32W 35 UTM X

UTM Y 4,232,369.27

DEPTH TO BED:

10FT

27

374.084.07

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023493

WELL TYPE Oil Well

DRILL DATE: 1964/10/27

<u>TOWNSHIP</u> 40N RANGE SECTION 33W 2

ELEVATION:

833FT

4,240,818.13

DRILL DEPTH: 552FT

N 33W

UTM X UTM Y

364,609.16 4 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 B.A. NELSON - E-LOG ON FILE

S.W.L. (AFTER CASING):

LOG ID: 012604

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1953/07/08

TOWNSHIP

RANGE SECTION

ELEVATION:

814FT

DRILL DEPTH:

135FT

15FT

40N 33W 23

UTM X

UTM Y

DEPTH TO BED:

364,802.14

14 4,235,191.25

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: Well #1 - 2.5 MI E OF AMORET ON HWY 52

S.W.L. (AFTER CASING): 52

LOG ID: 022827

WELL TYPE

Injection Well (OIL FIELD)

DRILL DATE:

1964/08/10

TOWNSHIP F

RANGE SECTION

ELEVATION:

896FT

DRILL DEPTH:

480FT

40N 33W 24

UTM X

<u>UTM Y</u>

DEPTH TO BED:

30FT

367,028.12

4,235,069.24

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #2 BOOTHE; DRILLED FOR GAS STORAGE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022828

Injection Well (OIL FIELD)

DRILL DATE:

1964/10/08

TOWNSHIP

RANGE SECTION

ELEVATION:

902FT

485FT

40N 33W

24

ZONE 15

UTM Y

DRILL DEPTH:

DEPTH TO BED:

6FT

<u>UTM X</u> 367.459.12

4,235,327.24

S.W.L. (BEFORE CASING):

REMARKS:

#1 BOOTHE; DRILLED FOR GAS STORAGE

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022973

DRILL DEPTH:

WELL TYPE

Injection Well (OIL FIELD)

460FT

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 40N 33W 24

UTM X **UTMY** DEPTH TO BED: 5FT

366,693.12 4,235,069.24

847FT

ZONE 15

S.W.L. (BEFORE CASING):

#3 BOOTHE; DRILLED FOR GAS STORAGE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 027589

DRILL DATE: **TOWNSHIP SECTION** 1972/00/00 **RANGE ELEVATION:** 775FT

40N 33W 27 DRILL DEPTH: 440FT

UTM X **UTMY** DEPTH TO BED: 15FT 363,628.14 4,233,782.28

ZONE 15

S.W.L. (BEFORE CASING):

MINERAL TEST REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 007966

WELL TYPE

Oil Well

SECTION DRILL DATE: 1942/09/25 **TOWNSHIP RANGE ELEVATION:** 860FT

40N 33W 28 **DRILL DEPTH:** 386FT

UTM X UTM Y **DEPTH TO BED:** 5FT 361,724.16 4,234,570.27

#1 ANNA BARD; GAS WELL - 350,000 CU FT, 110# PRESSURE

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Oil Well 007970

1942/09/08 **TOWNSHIP SECTION DRILL DATE: RANGE ELEVATION:** 860FT

40N 33W 28 **DRILL DEPTH:** 353FT

REMARKS:

DEPTH TO BED: 5FT 361.924.15 4,234,370.27

UTM Y

ZONE 15

UTM X

S.W.L. (BEFORE CASING): YIELD - 200,000 CU FT GAS **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007989

DEPTH TO BED:

WELL TYPE Oil Well

DRILL DATE: 1942/10/22 TOWNSHIP RANGE SECTION

40N 33W 28

ELEVATION:

843FT

DRILL DEPTH: 397FT

<u>UTM X</u> 362,524.15 <u>UTM Y</u> 4,234,370.27

02,524.15 4 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 MAGUIRE; 50,000 CU FT GAS

S.W.L. (AFTER CASING):

LOG ID: 008003

WELL TYPE
Oil Well

DRILL DATE:

1942/10/30

TOWNSHIP

RANGE SECTION 28

ELEVATION:

887FT

DRILL DEPTH:

487FT

15FT

40N 33W

UTM X

ZONE 15

<u>UTM Y</u>

DEPTH TO BED: 15FT

361,624.16

4,235,070.26

S.W.L. (BEFORE CASING):

REMARKS: #1 GORDON

S.W.L. (AFTER CASING):

LOG ID: 011310

WELL TYPE
Oil Well

TOWNSHIP

RANGE SECTION

ELEVATION:

846FT

DRILL DATE:

DRILL DEPTH:

1949/12/19 353FT

40N 33W 28

<u>UTM X</u> 361,324.16 <u>UTM Y</u> 4,233,770.29

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

15FT

110

FT

REMARKS:

ZONE 15

AMORET, 125' N OF HWY 52; WATER & GAS WELL, GAS @ 75#

PRESSURE

LOG ID:

WELL TYPE

021744

Community Public Well

DRILL DATE:

<u>TOWNSHIP</u>

40N

RANGE SECTION

ELEVATION:

871FT

DRILL DEPTH:

DEPTH TO BED:

355FT 10FT 33W 28

UTM X

361,342.16

<u>UTM Y</u> 4,234,938.26

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ABANDONED

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000303

WELL TYPE Private Well

1922// DRILL DATE:

TOWNSHIP 40N

SECTION

ELEVATION:

ZONE 15

882FT

DRILL DEPTH: DEPTH TO BED: 500FT

33W 29

RANGE

UTM X 359,970.17

UTMY 4,234,569.28

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 000470

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 40N

SECTION RANGE

ELEVATION:

843FT

DRILL DEPTH:

100FT

33W

UTM X

UTMY

DEPTH TO BED:

10FT

29

359,670.17

4,234,173.29

ZONE 15

S.W.L. (BEFORE CASING):

DRILLER'S LOG ONLY REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 027517

DRILL DATE:

1972/00/00

TOWNSHIP RANGE

SECTION

ELEVATION:

824FT

DRILL DEPTH:

500FT

40N 33W 32

DEPTH TO BED:

5FT

UTM X UTM Y 360,778.15 4,232,881.31

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: MINERAL TEST

S.W.L. (AFTER CASING):

LOG ID: 009063

WELL TYPE Private Well

1943/11/03

TOWNSHIP

41N

RANGE

SECTION

ELEVATION:

943FT

DRILL DATE: DRILL DEPTH:

360FT

29W 10

UTM X

UTM Y

DEPTH TO BED:

20FT

402.315.11

4,247,934.97

ZONE 15

S.W.L. (BEFORE CASING):

FT

@ Urick, MO - 29# GAS; 1.25 MI E, 1 MI N OF BALLARD **REMARKS:**

S.W.L. (AFTER CASING):

230



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008967

WELL TYPE Oil Well

DRILL DATE: 1945/09/21

TOWNSHIP 41N RANGE SECTION 29W 11

ELEVATION:

912FT

DRILL DEPTH:

1 29W ^

UTM X

<u>UTM Y</u> 4,246,437.00

403,927.10 4 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED - SEE LOG #9657

S.W.L. (AFTER CASING):

LOG ID: 009657

WELL TYPE Oil Well

DRILL DATE:

1945/09/21

TOWNSHIP 41N RANGE SECTION

ELEVATION:

913FT

DRILL DEPTH:

363FT

29W 11

<u>UTM X</u> 403,927.10 <u>UTM Y</u> 4,246,437.00

DEPTH TO BED:

REMARKS:

0-175' #8967, DEEPENED 175-363' #9657; DRY & ABANDONED

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 012189

WELL TYPE Private Well

DRILL DATE:

1952/09/12

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION:

882FT

DRILL DEPTH:

720FT

41N 29W

11

UTM X

<u>UTM Y</u>

DEPTH TO BED:

316FT

170

404,927.10

4,246,641.00

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD WELL TO 316'; 3.5 MI E OF BALLARD, 0.25 MI N OF HWY 18

S.W.L. (AFTER CASING):

LOG ID: 008809

WELL TYPE
Oil Well

DRILL DATE:

1945/06/13

TOWNSHIP 41N RANGE 29W **SECTION**

ELEVATION:

881FT

DRILL DEPTH:

DEPTH TO BED:

175FT

16

UTM X U

ZONE 15

401.129.10

<u>UTM Y</u> 4,246,088.00

S.W.L. (BEFORE CASING):

REMARKS:

DRY & ABANDONED - NO WATER OR GAS

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014182

DEPTH TO BED:

WELL TYPE Private Well

1955/09/01 DRILL DATE:

TOWNSHIP RANGE SECTION 41N 29W

16

ELEVATION:

905FT

DRILL DEPTH: 325FT

UTM X

UTMY 4,246,390.99

400,629.10

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

190

5FT

LOG ID: 014177

WELL TYPE Private Well

DRILL DATE:

1955/09/15

TOWNSHIP 41N

SECTION RANGE

ELEVATION:

857FT

DRILL DEPTH:

610FT

29W 17

> **UTM X** 400,023.10

UTMY 4,245,445.00

DEPTH TO BED:

REMARKS:

YIELD - 10 GPM @ 250', 15 GPM @ 300'; PLUGGED BACK TO

ABOVE 590'

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 019360

WELL TYPE Private Well

DRILL DATE:

1960/09/05

TOWNSHIP

RANGE

SECTION

VERY POOR SAMPLES - 0.25 MI S OF BALLARD

ELEVATION:

886FT

DRILL DEPTH:

75FT

41N

29W

17

UTM X

UTM Y

DEPTH TO BED:

10FT

400,023.10 4,246,260.99

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011394

Oil Well

DRILL DATE:

1950/05/25

TOWNSHIP 41N

RANGE 29W

SECTION 18

ELEVATION:

897FT

DRILL DEPTH:

225FT

UTM X UTM Y

397.081.10 ZONE 15

4,245,300.00

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

DRILLED FOR GAS - MADE INTO WATER WELL

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011436

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1950/06/12 DRILL DATE:

220FT

40

17FT

TOWNSHIP 41N

RANGE 29W

SECTION

18

ELEVATION:

908FT

UTM X

UTMY 4,245,300.00

398,281.10

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

1 MI S, 1 MI W, 0.25 MI N OF BALLARD **REMARKS**:

LOG ID: 020090

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1961/01/30

130FT

15FT

TOWNSHIP 41N

RANGE 29W

SECTION 24

SECTION

29

1 MI S, 0.25 MI E, 2 MI S, 0.75 MI W OF BALLARD; GASS @ 25 PSI

ELEVATION:

839FT

UTM X

UTMY 4,243,558.05

911FT

UTM Y

4,241,815.06

404,977.08

ZONE 15

ELEVATION:

UTM X

399,271.06

DEPTH TO BED: S.W.L. (BEFORE CASING):

18

210

FT

FT

REMARKS: 2.5 MI N OF JOHNSTOWN

TOWNSHIP

41N

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 011448

WELL TYPE Private Well

DRILL DATE:

1950/07/07

DRILL DEPTH:

363FT

10FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 011395

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Oil Well

DRILL DATE:

1950/06/21

250FT

5FT

TOWNSHIP 41N

RANGE 29W

RANGE

29W

SECTION 32

ELEVATION:

932FT UTM Y

UTM X

398.997.04

4,240,207.09 ZONE 15

ZONE 15

10 MI E, 3 MI N OF BUTLER ON HWY H **REMARKS**:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008871

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1945/08/18 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u>

370FT 41N 29W

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 207FT 398,050.12 4,247,331.97

ZONE 15

923FT

S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL TO 207'; WATER AND GAS (GAS PRESSURE 26#)

S.W.L. (AFTER CASING): 220

LOG ID: 005540 WELL TYPE Oil Well

DRILL DATE: 1939/07/29 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 908FT

DRILL DEPTH: 190FT 41N 29W 8

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 15FT 400,096.11 4,246,856.98

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: DRILLED FOR WATER, GOT GAS - 37,000 CU FT @ 25#

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

005606 Noncommunity Public Well

<u>DRILL DATE:</u> 1939/09/09 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 905FT

281FT 41N 29W 8

UTM X UTM Y

<u>DEPTH TO BED:</u> 400,096.11 4,247,060.98

S.W.L. (BEFORE CASING): FT PEMARKS

REMARKS:

S.W.L. (AFTER CASING): 108

LOG ID:

WELL TYPE

008807 Oil Well

<u>DRILL DATE:</u> 1945/05/05 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 927FT

DRILL DEPTH: 378FT 41N

<u>UTM X</u> <u>UTM Y</u>

29W

8

<u>DEPTH TO BED:</u> 399,596.12 4,247,770.97

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: GAS 22 PSI

S.W.L. (AFTER CASING): 210



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008808

WELL TYPE Oil Well

1945/06/04 DRILL DATE:

TOWNSHIP 41N

RANGE SECTION 29W 8

ELEVATION:

ZONE 15

ZONE 15

ZONE 15

908FT

DRILL DEPTH:

225FT

UTM X 399,596.11

UTMY 4,246,958.98

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: NO GAS OR WATER

S.W.L. (AFTER CASING):

LOG ID: 008810

WELL TYPE Oil Well

DRILL DATE:

1945/05/19

TOWNSHIP

SECTION RANGE

ELEVATION:

941FT

DRILL DEPTH:

344FT

41N 29W 8

> **UTM X** 399,796.11

UTMY 4,246,755.98

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

220

FT REMARKS:

26 LBS GAS PRESSURE; GAS AND WATER WELL

LOG ID: 008963

WELL TYPE

Oil Well

DRILL DATE:

1945/09/14

TOWNSHIP

RANGE SECTION **ELEVATION:**

928FT

DRILL DEPTH:

350FT

41N

DEPTH TO BED:

5FT

215

29W 8

UTM X 399,696.11

UTM Y 4,247,060.98

FT

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 009659

WELL TYPE Private Well

DRILL DATE:

1946/07/31

TOWNSHIP

SECTION RANGE

ELEVATION:

924FT

DRILL DEPTH:

364FT

41N

29W 8 UTM X

UTM Y

DEPTH TO BED:

15FT

220

399.596.12

4,247,364.97

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2/26/2007

234



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013896

WELL TYPE Oil Well

1955/08/05 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

REMARKS:

41N 29W **DRILL DEPTH:** 285FT

FT

UTM X **UTMY** DEPTH TO BED: 15FT 400,096.11 4,247,060.98

25 LB PRESSURE

8

8

UTM X

UTM Y

ZONE 15

901FT

S.W.L. (AFTER CASING): 200

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 026797

TOWNSHIP SECTION DRILL DATE: 1971/02/16 **RANGE ELEVATION:** 930FT

41N 29W DRILL DEPTH: 610FT

UTM X UTMY DEPTH TO BED: 400,096.12 4,247,466.97

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 008874

DRILL DATE: 1945/07/03 **TOWNSHIP RANGE SECTION ELEVATION:** 944FT

41N 29W 9 **DRILL DEPTH:** 358FT

UTM X UTM Y **DEPTH TO BED:** 400,409.11 4,247,487.97 15FT

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** 26# GAS

223 S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Oil Well 008961

1945/08/14 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 934FT

41N 29W 9 **DRILL DEPTH:** 375FT

DEPTH TO BED: 10FT 400.309.12 4,247,588.97

ZONE 15

S.W.L. (BEFORE CASING):

52# PRESSURE, 100,000 CU FT GAS; "BEST WELL IN BALLARD **REMARKS:**

AREA TO DATE" S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008965

WELL TYPE Oil Well

DRILL DATE: 1945/10/05

TOWNSHIP

RANGE SECTION 9

ELEVATION:

DRILL DEPTH: 191FT 41N 29W

UTM X

401,109.11

UTMY 4,246,780.99

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS: **GAS WELL**

S.W.L. (AFTER CASING):

LOG ID: 009064

WELL TYPE Oil Well

DRILL DATE:

1945/10/25

TOWNSHIP 41N

SECTION RANGE

ELEVATION:

893FT

DRILL DEPTH:

163FT

29W 9

UTM X 401,709.10

ZONE 15

ZONE 15

UTMY 4,246,578.99

DEPTH TO BED:

15FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

GAS WELL - DRY & ABANDONED - PLUGGED

LOG ID: 008872

WELL TYPE

Oil Well

1945/08/02

TOWNSHIP

RANGE SECTION **ELEVATION:**

834FT

DRILL DATE: DRILL DEPTH:

300FT

41N 30W 11

> UTM X 394,694.13

UTM Y 4,247,706.95

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

GAS AND WATER WELL; 3.25 MI W OF BALLARD, 200' N OF HWY

18

LOG ID: 008873

WELL TYPE

Private Well

DRILL DATE:

1945/07/25

TOWNSHIP

RANGE

SECTION

ELEVATION:

832FT

DRILL DEPTH:

91FT

40

41N

30W 11 UTM X

UTM Y

DEPTH TO BED:

25FT

16

394.994.13

ZONE 15

4,247,605.95

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

2/26/2007

236



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008973

WELL TYPE Oil Well

DRILL DATE:

DRILL DEPTH: 345FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 41N

RANGE 30W

SECTION 11

ELEVATION:

845FT

UTM X 393,894.12

UTMY 4,246,900.96

ZONE 15

DRY & ABANDONED - GAS WELL **REMARKS**:

LOG ID: 009933

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1946/11/14

TOWNSHIP 41N

RANGE 30W

SECTION 11

ELEVATION:

871FT

4,247,706.95

DRILL DEPTH: 370FT

UTM X **UTMY**

394,294.13 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 10 MI E ON HWY 18 FROM HWY 81 AT AUDRAIN

S.W.L. (AFTER CASING):

155

LOG ID: 022237

WELL TYPE Private Well

DRILL DATE:

1963/11/03

FT

TOWNSHIP 41N

RANGE SECTION **ELEVATION:**

891FT

DRILL DEPTH:

615FT

30W

UTM X 393,282.08

UTM Y 4,243,278.02

DEPTH TO BED:

10FT

180

REMARKS: 7 MI E OF PASSIAC ON HWY D

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 009170

WELL TYPE Private Well

DRILL DATE:

1946/04/30

TOWNSHIP 41N

RANGE

SECTION 28

27

ELEVATION:

UTM X

885FT

DRILL DEPTH:

DEPTH TO BED:

604FT 15FT 30W

390.778.06

UTM Y 4,242,237.03

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

RFD, BUTLER; CAVE @ 238', 304', 544', 585'

S.W.L. (AFTER CASING):

190



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010933

WELL TYPE Private Well

<u>DRILL DATE:</u> 1948/12/13 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 888FT

DRILL DEPTH: 225FT 41N 30W 29

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 15FT 388,765.07 4,242,408.03

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: previous name on log Glenn Commings - 4.5 MI E OF PASSAIC ON

HWY 71

LOG ID: 009654

S.W.L. (AFTER CASING):

WELL TYPE Private Well 40

DRILL DATE: 1946/06/20 TOWNSHIP RANGE SECTION ELEVATION: 903FT

DRILL DEPTH: 280FT 41N 30W 30

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 387,297.08 4,242,584.03

S.W.L. (BEFORE CASING): FT PEMARKS AND SERVICE ASSAULT OF PAGGARD

S.W.L. (AFTER CASING): 63

LOG ID: 022768

WELL TYPE
Private Well

<u>DRILL DATE:</u> 1964/01/11 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 863FT

_... ____. 41N 30W 9

<u>DRILL DEPTH:</u> 695FT 4TM 50W 9

<u>DEPTH TO BED:</u> 555FT 391,569.14 4,247,756.94 zone 15

S.W.L. (BEFORE CASING): FT REMARKS: NO SAMPLES 0-555'

S.W.L. (AFTER CASING): 160

S.W.L. (BEFORE CASING):

LOG ID: 022520

WELL TYPE Private Well

<u>DRILL DATE:</u> 1963/12/01 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u>

DRILL DEPTH: 253FT 41N 31W

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 386,285.18 4,250,192.89

ZONE 15

S.W.L. (AFTER CASING):

REMARKS: POOR SAMPLES DO NOT USE - SAYS R 32W; 2.5 MI E OF ADRIAN
S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013893

WELL TYPE Private Well

1955/06/09 DRILL DATE:

TOWNSHIP 41N

RANGE SECTION **ELEVATION:**

913FT

DRILL DEPTH:

265FT

11

UTM X

UTMY 4,247,537.94

DEPTH TO BED:

75

385,104.15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

FT

REMARKS:

LOG ID: 013894

WELL TYPE Private Well

DRILL DATE:

1955/06/04

TOWNSHIP

RANGE

31W

SECTION

15

ELEVATION:

881FT

DRILL DEPTH:

230FT

41N 31W

> **UTM X** 382,629.14

UTMY 4,247,008.95

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

100

REMARKS:

previous name on log G.L. Harn - MAY BE MISLOCATED TOP

SHOULD BE MARMATON

LOG ID: 027361

WELL TYPE Private Well

DRILL DATE: 1969/08/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

885FT

DRILL DEPTH:

167FT

41N

31W

UTM X

UTM Y

DEPTH TO BED:

70FT

16

382,320.14 4,246,357.97

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

20

REMARKS:

LOG ID:

WELL TYPE Private Well

008641

1944/07/03

TOWNSHIP

RANGE

SECTION

ELEVATION:

882FT

DRILL DATE: DRILL DEPTH:

685FT

41N

31W 34 UTM X

UTM Y

DEPTH TO BED:

20FT

383.747.07 4,240,868.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: DRILLER'S LOG TO 380'

S.W.L. (AFTER CASING):

165

2/26/2007

239



RANGE

32W

TOWNSHIP

41N

REMARKS:

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023673

DEPTH TO BED:

LOG ID:

WELL TYPE Unknown Well

DRILL DATE:

DRILL DEPTH: 35FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE Private Well

016330

DRILL DATE:

DRILL DEPTH: 103FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

1957/03/05

TOWNSHIP RANGE 41N

TOWNSHIP

41N

32W

MINUTE MAN SILOH 4 MI N OF ADRAIN

21

SECTION

SECTION

15

UTM X

ELEVATION:

UTM X

372,150.15

ELEVATION:

ELEVATION:

UTM X

373,016.16

UTMY

836FT

UTM Y

4,244,929.01

851FT

868FT

UTMY

4,246,050.98

371,150.16 4,245,534.99

ZONE 15

ZONE 15

REMARKS: previous name on log Jack Moles - MANY SKIPPED INTERVALS

SECTION

21

LOG ID: 017453

WELL TYPE Private Well

DRILL DATE: 1958/08/04

100FT

DRILL DEPTH:

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 012603

WELL TYPE Private Well

DRILL DATE:

1953/09/07

352FT

5FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

TOWNSHIP 41N

REMARKS:

RANGE 32W

RANGE

32W

SECTION 25

ELEVATION:

880FT

UTM X UTM Y 375.989.13

4,243,210.04

ZONE 15

ZONE 15

S.W.L. (AFTER CASING): 35 FT

REMARKS:

previous name on log C.A. Kaufman - 4 MI W OF PASSAIC, 0.5 MI N



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016331

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE:

1957/00/00

212FT

DEPTH TO BED:

70FT

TOWNSHIP RANGE SECTION 41N

32W 3

ELEVATION: 953FT

UTM X 374,234.18

UTM X

UTMY 4,249,661.90

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

MANY MISSING SAMPLES

LOG ID: 023384

WELL TYPE Private Well

DRILL DATE:

1965/02/18

TOWNSHIP

RANGE

32

SECTION ELEVATION: 811FT

DRILL DEPTH:

125FT

5FT

20

41N 32W

UTM Y

370,414.14 4,242,811.06

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

7 MI W OF PASSAIC REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

000487

Private Well

DRILL DATE:

DRILL DEPTH: 800FT

DEPTH TO BED: 70FT **TOWNSHIP RANGE SECTION** 41N 33W 29

UTM X

ELEVATION:

843FT UTM Y

360,615.20 4,244,154.08

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 000471

WELL TYPE

Unknown Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

505FT

20FT

TOWNSHIP 41N

RANGE

SECTION

DRILLER'S LOG ONLY - MANY MISSING INTERVALS

ELEVATION:

817FT

33W 32

UTM X

UTM Y 4,241,951.12

361.146.19

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

2.5 MI S OF AMSTERDAM - drillers log only

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000433

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 41N 33W 5

UTM X **UTMY** DEPTH TO BED: 20FT 361,606.22 4,250,464.95

ZONE 15

883FT

S.W.L. (BEFORE CASING): DRILLER'S LOG ONLY; NOT SURE WHAT WAS PRODUCED **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 023206

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 840FT

29W 16 42N DRILL DEPTH: 300FT

UTM X UTMY DEPTH TO BED: 401,065.18 4,254,582.86

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 120

LOG ID: 003350

WELL TYPE Private Well

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 887FT

42N 29W 29 **DRILL DEPTH:** 515FT

REMARKS:

UTM X UTM Y

DEPTH TO BED: 475FT 399,433.16 4,251,533.90

1 MI S OF ADRIAN; NO SAMPLES 0-475'

14

ZONE 15 S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 009178

WELL TYPE Private Well

1946/05/16 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 846FT

DRILL DEPTH: 344FT UTM X UTM Y

30W

DEPTH TO BED: 395.389.22 4,255,250.83 ZONE 15

S.W.L. (BEFORE CASING): FT

42N

REMARKS: previous name Keystone Mortgage Investment Co of KC, Mo - 4 MI NE OF ALTONIA S.W.L. (AFTER CASING): 107



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000104

DRILL DATE:

DRILL DEPTH:

WELL TYPE Private Well

320FT

DEPTH TO BED: 37FT

TOWNSHIP RANGE SECTION
42N 30W 30

ELEVATION:

810FT

<u>UTM X</u> 388,316.21 <u>UTM Y</u> 4,252,628.85

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: YI8ELD - "2 BBL/DAY"; DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID: 009934

WELL TYPE Private Well

DRILL DATE:

1949/02/20

TOWNSHIP 42N RANGE S

SECTION ELEVATION:

889FT

DRILL DEPTH:

685FT

30W

<u>UTM X</u> 392,850.18 <u>UTM Y</u> 4,251,223.89

DEPTH TO BED: 5F

5FT

170

FT

REMARKS: RFD, ADRIAN

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE Oil Well

DRILL DATE:

LOG ID:

010650

1949/05/01

<u>TOWNSHIP</u>

<u>RANGE</u>

SECTION 34

34

ELEVATION:

888FT

DRILL DEPTH:

246FT

42N 30W

UTM X

UTM Y

<u>DEPTH TO BED:</u>

7FT

392,850.18

4,251,223.89

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

GAS WELL - ABANDONED & PLUGGED

LOG ID:

WELL TYPE Oil Well

010651

1947/04/28

TOWNSHIP

RANGE

SECTION 34 ELEVATION:

911FT

DRILL DATE:

DRILL DEPTH:

265FT

42N 30W

<u>UTM X</u> 392,550.17 <u>UTM Y</u> 4,250,115.90

DEPTH TO BED:

8FT

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: 23 PSI GAS PRESSURE; 250' NE OF #1



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010652

DRILL DEPTH:

WELL TYPE Oil Well

1947/04/12 DRILL DATE:

465FT

DEPTH TO BED: 4FT **TOWNSHIP RANGE SECTION** 42N 30W 34

GAS @ 15 PSI, WATER PLUGGED OUT; 6 MI E OF ADRIAN ON

ELEVATION:

913FT **UTMY**

UTM X 392,550.17

4,250,115.90

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

HWY 18 AT 71

LOG ID: 024626

WELL TYPE Private Well

DRILL DATE:

1966/04/01

TOWNSHIP

SECTION RANGE

ELEVATION:

922FT

DRILL DEPTH: DEPTH TO BED: 105FT 15FT

12

30W 42N

36

UTM X

UTMY

396,568.16

4,250,364.91

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 026893

WELL TYPE Private Well

DRILL DATE:

167FT

TOWNSHIP 42N

RANGE SECTION 15

ELEVATION:

825FT

DRILL DEPTH:

31W

UTM X 383,141.24

ZONE 15

UTM Y 4,255,918.78

DEPTH TO BED:

20FT

22

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Oil Well

002025 **DRILL DATE:**

1904/12/

FT

TOWNSHIP

RANGE

SECTION

ELEVATION:

860FT

DRILL DEPTH:

DEPTH TO BED:

1,095FT 90FT

42N 31W

UTM X

UTM Y

383.252.27

4,258,502.73

ZONE 15

3

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

DRILLER'S LOG ONLY, NO UNITS IDENTIFIED; LOG FROM KGS BY

F.C. GREEN



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002021

DEPTH TO BED:

WELL TYPE Oil Well

1911// DRILL DATE:

TOWNSHIP

RANGE SECTION 31W 33

ELEVATION:

869FT

DRILL DEPTH: 1,034FT 42N

UTM X

UTMY 4,250,950.88

381,736.19 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

DRILLER'S LOG (FROM MEMORY); IN ADRIAN, 1 BLK N OF

ELEVATOR

LOG ID: 004523

WELL TYPE Oil Well

DRILL DATE:

1937/11/06

TOWNSHIP

RANGE

SECTION 5

ELEVATION:

850FT

DRILL DEPTH:

610FT

85FT

42N 31W

UTM X

UTMY

DEPTH TO BED: 15FT

381,235.27

4,258,817.72

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

Jess Hodge - WIDE 0.4 X 1 MI SECTION; "DRY & ABANDONED" GAS

??

LOG ID: 023498

WELL TYPE Oil Well

DRILL DATE:

TOWNSHIP RANGE **SECTION**

ELEVATION:

818FT

DRILL DEPTH:

507FT

42N 31W 9

UTM X

381,772.26

UTM Y

DEPTH TO BED:

10FT

4,257,608.75

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: #1 H.O. BOSLEY - GAS WELL (BT-1)

LOG ID:

WELL TYPE

000302

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP 42N

REMARKS:

RANGE

SECTION

ELEVATION:

862FT

DRILL DEPTH:

503FT

32W 26

> UTM X 374.664.21

UTM Y 4,253,310.82

DEPTH TO BED:

18FT

ZONE 15

DRILLER'S LOG ONLY; "RECORD OF STRATA IN CORE DRILLING E

S.W.L. (BEFORE CASING):

OF MERWIN" S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000469

WELL TYPE Unknown Well

DRILL DATE:

DRILL DEPTH: 330FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 42N

drillers log only

32W 26 **ELEVATION:**

838FT

UTM X 375,364.21

UTMY 4,253,109.83

ZONE 15

ZONE 15

REMARKS:

LOG ID: 004190

WELL TYPE Oil Well

DRILL DATE:

1937/04/19

TOWNSHIP 42N

SECTION RANGE

ELEVATION:

877FT

DRILL DEPTH:

108FT

32W

UTM X 374,683.25

UTMY 4,258,913.70

DEPTH TO BED: 30FT

GAS WELL, NO PRODUCTION OR HORIZON LISTED REMARKS:

3

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 001852

WELL TYPE Oil Well

DRILL DATE:

1901/07/19

TOWNSHIP 42N

RANGE 33W

ELEVATION:

363,325.22

936FT

DRILL DEPTH:

719FT

SECTION 28

UTM X

UTM Y 4,253,582.87

DEPTH TO BED:

28FT

ZONE 15 NEAR MERWIN - DRILLER'S LOG ONLY - NO FORMATIONS

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 001853

WELL TYPE

Oil Well

DRILL DATE:

1901/08/05

TOWNSHIP

RANGE

SECTION

ELEVATION:

919FT

DRILL DEPTH:

DEPTH TO BED:

222FT 26FT 42N

33W 28

UTM X

UTM Y

362.825.22

4,253,283.88

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

ONE LOG FOR HOLES #5-6-7; DRILLER'S LOG ONLY



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 001854

WELL TYPE Oil Well

1901/08/05 DRILL DATE:

TOWNSHIP 42N

RANGE SECTION **ELEVATION:**

919FT

DRILL DEPTH:

212FT

33W 28

UTM X

UTMY

DEPTH TO BED: 92FT

362,825.22 4,253,283.88

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID: 001855

WELL TYPE Oil Well

DRILL DATE:

1901//

TOWNSHIP

SECTION RANGE

ELEVATION:

919FT

DRILL DEPTH:

226FT

42N 33W

UTM X

UTMY

DEPTH TO BED:

92FT

28

362,825.22 4,253,283.88

ZONE 15

S.W.L. (BEFORE CASING):

DRILLER'S LOG ONLY REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 001856

WELL TYPE Oil Well

DRILL DATE: 1901/11/09

SECTION TOWNSHIP RANGE 42N

ELEVATION:

909FT

DRILL DEPTH:

519FT

33W 28

DRILLER'S LOG ONLY

UTM X UTM Y

DEPTH TO BED:

40FT

362,825.22 4,253,184.88

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 001857

WELL TYPE

Oil Well

DRILL DATE:

1901/10/09

TOWNSHIP

RANGE SECTION **ELEVATION:** 984FT

DRILL DEPTH:

DEPTH TO BED:

320FT

71FT

42N

33W 28

UTM X

UTM Y

362.625.22 4,253,681.87

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

DRILLER'S LOG ONLY



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 001858

WELL TYPE Oil Well

DRILL DATE: 1901/09/12

TOWNSHIP

RANGE SECTION 33W 28

ELEVATION:

919FT

DRILL DEPTH: 248FT 42N

<u>UTM X</u> 362,825.22

UTMY 4,253,283.88

DEPTH TO BED: 100FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: DRILLER'S LOG ONLY ZONE 15

LOG ID: 001931

WELL TYPE Oil Well

DRILL DATE:

1901//

84FT

TOWNSHIP 42N

RANGE

SECTION

ELEVATION:

906FT

DRILL DEPTH:

DEPTH TO BED:

33W 32

UTM X

<u>UTM Y</u>

360,967.23

4,252,148.92

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

DRILLER'S LOG ONLY

BATES